Kingston Forklift Training Course

Kingston Forklift Training Course - Federal and industry regulators have established the criteria for forklift safety training based on their current regulations and standards. People wanting to operate a forklift should complete a forklift training course prior to working with one of these machines. The accredited Forklift Operator Training Program is intended to provide trainees with the knowledge and practical skills to become a forklift operator.

Mobile Equipment and Vehicle safety regulations which apply to forklift utilization consist of pre-shift inspections, and regulations for loading and lifting.

Prior to a shift beginning, an inspection checklist must be carried out and submitted to the Instructor or Supervisor. If any maintenance issue is discovered, the machinery should not be operated until the issue is addressed. To indicate the equipment is out of order, the keys have to be removed from the ignition and a warning tag placed in a visible location.

Loading safety regulations comprise checking the forklift nameplate's rating capacity and knowing if the load weight falls within capacity. The forklift forks should be in the down position when the forklift is starting up. Remember that there is a loss of approximately 100 pounds carrying capacity for every inch further away from the carriage that the load is carried.

Lifting should start with the driver moving to a stopped position around three inches from the load. The mast should then be leveled until it has reached a right angle with the load. Lift the forks to an inch below the slot on the pallet and drive forward. Then lift forks four inches. Tilt back the load to secure it for moving. Drive the lift backwards if the load obscures frontal vision. Check behind and honk in order to warn other employees. Never allow forks to drag on the ground.

The load should be loaded by the forklift in such a way that ensures the load is secure and will not create a hazard to other objects or people. Restraining loads is needed for materials which could shift during transport and destabilize the forklift.

In order to prevent the shifting of drums, drums could be strapped together to lessen movement. Operators of forklifts must drive slowly when transporting liquids, to decrease instability in the forklift.